

tesa® 60233

Product Information

60µm single sided matte black electrically conductive tape xy-axis

Product Description

tesa® 60233 is a matte black single sided electrically conductive self adhesive tape. It consists of a matte black PET backing which is laminated with an Aluminium foil and a conductive non-woven. The backing is coated on the non-woven side with an electrically conductive adhesive.

tesa® 60233 features especially:

- Thickness: 60μm
- Excellent electrical conductivity in XY-direction for very good grounding performance
- PET film on the surface provides insulation function
- · High adhesion level even at harsh environmental conditions avoids edge lifting
- Minimized curling for easy processing and lamination
- · Matte black surface (low gloss) with anti-finger print and solvent resistant characteristic

Product Features

- Thickness: 60µm
- · Excellent electrical conductivity in XY-direction for very good grounding performance
- PET film on the surface provides insulation function
- · High adhesion level even at harsh environmental conditions avoids edge lifting
- Minimized curling for easy processing and lamination
- · Matte black surface (low gloss) with anti-finger print and solvent resistant characteristic

Application Fields

· Grounding of LCD to metal BLU chassis

Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

Product Construction

•	Backing	Black PET / alu foil /	•	Color	matte black
		conductive non-	•	Color of liner	white/blue logo
		woven	•	Thickness of liner	50 μm
_	Type of adhesive	conductive acrylic			

Type of adhesive conductive acrylic
Type of liner PE-coated paper



tesa® 60233

Product Information

Properties/Performance Values

Release of liner easy

Static shear resistance at 23°C good, medium

• Static shear resistance at 40°C good, medium

• Surface resistance x-y-direction 0.2 mOhm

• Temperature resistance short 200 °C term

Adhesion to Values

Steel (after 14 days)
5 N/cm

Disclaimer

tesa® products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa® product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.

