



Reliable, durable,  
and visible



Our safety tape assortment


# Our safety tape assortment

Marking, warning, and anti-slip tapes are helpful tools for structuring our workplaces and making them safer. Our brightly coloured tapes are highly visible for easy identification in areas where there are safety concerns and for warning purposes – the perfect solution to complement the 5S methodology used in manufacturing. This brochure will help you to select the product most suited to your individual needs.








## By using our products, you will benefit from:

- A wide range of solutions for even the most demanding applications
- Stable and reliable quality that has been proven time and time again
- Technical customer service from experienced and highly skilled engineers


## Marking and warning tapes




For permanent marking and warning applications, you need highly visible and mechanically stress-resistant tapes. Different colours make the guiding easier to understand. Particular places like fire extinguishers or first-aid stations require eye-catching marking. Different laws, guidelines, and certifications also require areas to be marked off to create a safe work environment.

Product	Features and description	Backing	Total thickness without liner [µm]	Adhesion to steel [N/cm]	Tensile strength [N/cm]	Elongation at break [%]	Colour
		Adhesive					
<b>tesa® 60960</b> 	<b>Anti-Scratch PET Floor Marking Tape</b> <ul style="list-style-type: none"> <li>• For permanent, highly durable, and abrasion-resistant marking for high-traffic, heavy-duty areas like factories, warehouses, offices, or hospitals</li> <li>• Protective PET top layer ensures long lifetime and permanent bright colours that don't wear off over time</li> <li>• Good adhesion to various smooth surfaces</li> <li>• Siliconised paper liner allows tape to be positioned first, making it easy to achieve straight lines over long distances</li> </ul>	PET/PP laminate	175	4.5	175	140	
<b>tesa® 4169</b> 	<b>Permanent Marking Tape</b> <ul style="list-style-type: none"> <li>• For permanent and heavy-duty marking for high-traffic areas, including areas used by forklifts</li> <li>• Robust and resistant PVC backing, hand-tearable</li> <li>• Flexible backing to cope with curves</li> <li>• Good adhesion to various surfaces</li> </ul>	Soft PVC	180	1.8	30	200	
<b>tesa® 60760</b> 	<b>Marking Tape</b> <ul style="list-style-type: none"> <li>• For temporary and low-duty marking for mobile and stationary objects, for example</li> <li>• Resistant PVC backing, hand-tearable</li> <li>• Good adhesion to various surfaces</li> </ul>	Soft PVC	150	2.0	33	220	
		Natural rubber					


## Anti-slip tapes









**tesa® 60955 Anti-Slip Tape Conformable** is designed to adhere to tread plates and other irregular surfaces where good grip and safe footing is required. The backing consists of an aluminium carrier coated with mineral particles, making the anti-slip tape exceptionally conformable. The bright-yellow and black-and-yellow-striped tapes are highly visible for easy identification in areas where there are safety concerns and for warning purposes.



**tesa® 60954 Anti-Slip Tape Heavy Duty** has been specifically developed for permanent heavy-duty applications, such as construction vehicles or platforms and ramps. The highly durable backing consists of a PVC film coated with large mineral particles to provide extra slip resistance for extreme conditions. The bright-yellow and black-and-yellow-striped tapes are highly visible for easy identification.



**tesa® 60950/51/52 Anti-Slip Tape** is designed for applications like industrial floors, where good grip and safe footing is required. The durable backing consists of a PVC film coated with mineral particles, combined with an acrylic adhesive for secure bonding to most surfaces.

Product	Features and description	Backing	Total thickness without liner [µm]	Adhesion to steel [N/cm]	Elongation at break [%]	Temperature resistance [°C]	Colour
		Adhesive					
<b>tesa® 60955</b> 	<b>Anti-Slip Tape Conformable</b> <ul style="list-style-type: none"> <li>High conformability for excellent adhesion to tread plates and other irregular surfaces</li> <li>Mineral particle-coated backing ensures good grip and safe footing</li> <li>Bright-yellow and black and yellow stripes ensure strong visibility for easy identification</li> <li>Anti-slip certification R13 according to DIN 51130</li> </ul>	Aluminium carrier coated with mineral particles	700	8	12	120	
		Acrylic					
<b>tesa® 60954</b> 	<b>Anti-Slip Tape Heavy Duty</b> <ul style="list-style-type: none"> <li>Highly durable backing with extra slip resistance for applications in extreme conditions, e.g. construction vehicles or platforms and ramps</li> <li>Reduced clogging due to coarse particles</li> <li>Bright-yellow and black and yellow stripes ensure strong visibility for easy identification</li> <li>Anti-slip certification R13 according to DIN 51130 (R12 for black-yellow)</li> </ul>	PVC film coated with large mineral particles	1,185	7	35	80	
		Acrylic					
<b>tesa® 60950/51/52/53</b> 	<b>Anti-Slip Tape</b> <ul style="list-style-type: none"> <li>Durable and slip-resistant backing for applications such as industrial flooring</li> <li>Good adhesion for secure bonding to most surfaces</li> <li>Anti-slip certification R13 according to DIN 51130</li> <li>tesa® 60953 glows in the dark for up to 20 minutes</li> </ul>	PVC film coated with mineral particles	720	5.8	25	50	
		Acrylic					



## Certifications

Our company is focused on international quality-, environmental-, and occupational safety standards.

Please find more information regarding our certifications at:  
[www.tesa.com/certifications](http://www.tesa.com/certifications)

tesa UK Ltd.,  
Yeomans Drive,  
Blakelands,  
Milton Keynes,  
MK14 5LS  
01908 500333  
[ukenquiry@tesa.com](mailto:ukenquiry@tesa.com)