



tesa[®] 4960

Product Information



Double-sided self-adhesive tape with non-woven backing

Product Description

tesa[®] 4960 is a translucent double-sided self-adhesive tape with a non-woven backing. It is equipped with a light and ageing resistant soft acrylic adhesive system.

tesa[®] 4960 features especially

- Very high initial tack
- Good shear resistance.

Product Features

- The special adhesive formulation is especially ageing and temperature resistant.
- It ensures a secure and long-lasting bond on a variety of materials.

Application Fields

- Could be used for providing a self-adhesive finish to advertising and decorative articles
- Laminating photographs or posters
- Splicing of paper and foil webs, even on rough surfaces

Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

Product Construction

- | | | | |
|--------------------|-----------|---------------------|-------------|
| • Backing | non-woven | • Color | transparent |
| • Type of adhesive | acrylic | • Color of liner | brown |
| • Type of liner | glassine | • Thickness of tape | 100 µm |
| • Total thickness | 100 µm | | |



tesa[®] 4960

Product Information

Disclaimer

tesa[®] products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa[®] product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.



For latest information on this product please visit <http://l.tesa.com/?ip=04960>