



# tesa<sup>®</sup> Spare Adapter Kit BK 164

## Product Information

BNR 40634

### Product Description

To replace grab bars from the tesa<sup>®</sup> series Draad without a trace, you can use the replacement adapter kit BK164.

### Product Features

- Self-adhesive adapter BK164 for use in the tesa<sup>®</sup> series Draad
- Double adapter, suited to attach grab bars
- Uses the tesa<sup>®</sup> Power.Kit adhesive technology for a strong hold
- Spare part, allows any tesa<sup>®</sup> Draad grab bar to be remounted in a position of your choosing
- Should accessories from other brands fit the adapter, those can also be attached with the Power.Kit technology
- Easy-on and easy-off functionality
- Works on tiles, metal, natural stone, marble, concrete, wood, glass and many types of plastic
- Does not work on wallpaper, stucco and other surfaces with non-stick coating
- Removable without a trace
- Package includes: 2 x adapter, 3 x glue applicator of high performance adhesive, 1 x injection aid

Product dimensions: 26mm x 123mm x 178mm

tesa.Power.Kit Glue: Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

### Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

### Product Construction

- Type of adhesive Silane modified polymer

### Properties/Performance Values

- |                   |        |                     |   |
|-------------------|--------|---------------------|---|
| • Hazard material | yes    | • Suitable surfaces | Glazed Tiles, Marble,   |
| • Material        | Copper |                     | Glass, Metal, Stone,<br>Concrete, Even wood,<br>Most plastics |



# tesa<sup>®</sup> Spare Adapter Kit BK 164

Product Information

## Disclaimer

tesa<sup>®</sup> products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa<sup>®</sup> product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.



For latest information on this product please visit <http://l.tesa.com/?cp=NaN>