



tesapack[®] Secure & Strong

Product Information

BNR 58643

Product Description

The yellow packaging tape tesapack[®] Secure and Strong is suitable for sealing safety packings. With its sealing effect, it helps the user to ensure a safe transport route. The adhesive safety tape is easy to use and unwinds silently.

Product Features

- Highly adhesive packaging tape/safety duct tape
- Very even and low-noise unwinding
- When removing the packaging tape, the message „open“ remains on the parcel in different languages
- Even when reclosing, the message remains visible

Technical Information (average values)

The values in this section should be considered representative or typical only and should not be used for specification purposes.

Product Construction

- | | | | |
|--------------------|---------------------|-------------------|-------|
| • Backing | BOPP | • Total thickness | 62 µm |
| • Type of adhesive | water-based acrylic | | |

Properties/Performance Values

- | | | | |
|--------------------------|---------------|-----------------------|-----------|
| • Tensile strength | 42 N/cm | • Low noise unwinding | yes |
| • Adhesive strength | High adhesion | • Solvent free | yes |
| • Ageing resistance (UV) | no | • Suitable surfaces | Cardboard |
| • Hand tearability | no | • Tear resistance | yes |

Disclaimer

tesa[®] products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa[®] product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.



For latest information on this product please visit <http://l.tesa.com/?cp=NaN>