

CERTIFICATE

on the evaluation of recyclability within the paper industry

tesa SE Hugo - Kirchberg - Straße 1 22848 Norderstadt **GERMANY**

On the basis of the laboratory analysis and in accordance with the criteria of the PTS method PTS-RH 021:2012 (Draft Oct 2019) the sample described below

Product name tesa® 64295 Product description The packaging aid product sample tesa® 64295 is an unprinted, one-side adhesive paper tape made of unbleached kraft pulp. The (Information according paper (150 g/m²) has adhesive coating (50 g/m²) on the inner side to client) of the tape. Product category acc. II - Packaging products as well as paper and board to PTS-RH 021:2012 (for the manufacture of packaging products)

Recyclable percentage¹ 71.7 %

is classified as

'The product is recyclable, but worthy of product design improvement.'

Within standard stock preparation of the packaging paper industry.

This certificate loses its validity in case of qualitative or quantitative changes of the components of the tested sample and is only applicable in connection with the test report No. ORD-01722 dated 23/04/2024.

Heidenau, 22/05/2024

Mike Schiefer Method supervisor

onas Wilberg Project member

Recyclable percentage (Fibre yield) means the percentage suitable for recycling or usable in papermaking. It corresponds to total mass of the sample (50g oven-dry a 100%) minus total reject. Water-soluble, colloidally dissolved or finely dispersed colloidally dissolved substances which pass into the water phase are not considered. These substances can be determined using the PTS-RH